



The top view shows a rectangle with a small circle in the center, representing the hole. The front view shows a rectangle with a small circle in the center, representing the hole.

3202-WH-CFSP13

One 13w GU24 Compact Fluorescent

Photometric Report


Number of lamps:	1
Lumens per lamp:	900.00
Input watts:	15.00
Distribution:	Semi-Direct
Efficiency:	77.0
Photometric type:	C
Luminous shape:	Rectangle
Units:	Feet
Luminous Dimensions:	
0-180 Axis:	0.672
90-270 Axis:	0.672
Height:	0.306
Spacing Criteria (0):	1.35
Spacing Criteria (90):	1.44
Spacing Criteria (Four Luminaires):	1.58

Zone	Lumens	%Lamp	%Fixt
0-30	84	9	12
0-40	141	16	20
0-60	276	31	40
0-90	464	52	67
90-120	132	15	19
90-150	208	23	30
90-180	229	25	33
0-180	693	77	100

Total Luminaire Efficiency = 77%

	0.0	45.0	90.0	135.0	180.0	225.0	270.0	315.0
0.0	2338	2338	2338	2338	2338	2338	2338	2338
45.0	1773	1658	2015	1844	2066	1863	2035	1661
55.0	1695	1552	1988	1786	2073	1813	2043	1564
65.0	1627	1468	2015	1751	2124	1789	2055	1476
75.0	1617	1453	2164	1831	2324	1874	2205	1470
85.0	1610	1417	2387	1969	2682	2005	2467	1441

Coefficients of Utilization

[illegible]

Candela Distribution

[illegible]