

AREA 4716

QUICKSHIP

PROJECT PROJET

SPEC TYPE


NOTES



FELT FINISH FINI FEUTRE



FAMILY FAMILLE



ORDERING SPECIFICATION SPÉCIFICATION DE COMMANDE

CODE

QUICKSHIP

QS5 QUICKSHIP 5 DAYS - MAXIMUM 5 UNITS QUICKSHIP 5 JOURS - MAXIMUM 5 UNITÉS
 QS10 QUICKSHIP 10 DAYS - MAXIMUM 20 UNITS QUICKSHIP 10 JOURS - MAXIMUM 20 UNITÉS

MODEL MODÈLE

4716-24 AREA 24" - ACOUSTIC (NO LIGHT SOURCE)
 4716-36 AREA 36" - ACOUSTIC (NO LIGHT SOURCE)

HOUSING FINISH FINI BOITIER

WHE WHITE FINE TEXTURE

WHE

FELT FINISH FINI FEUTRE

ABF	AZURE BLUE FELT	BYF	BANANA YELLOW FELT	REF	RED FELT
AWF	ARCTIC WHITE FELT	CHF	CHARCOAL FELT	SGF	SILVER GRAY FELT
BBF	BASIC BLACK FELT	NBF	NAVY BLUE FELT	TGF	TITANIUM GRAY FELT
BOF	BLOOD ORANGE FELT	OBF	OCEAN BLUE FELT	ZFF	ZINFANDEL FELT
BTF	BATTLESHIP GRAY FELT	PGF	PEAR GREEN FELT		

PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT



DESIGN: Large format, functional and elegant round direct pendants in Ø24" and Ø36". Optional uplight modules.

HOUSING: Aluminium extrusion frame and die-formed steel backplate with polyester powder finish.

ACOUSTIC: High density 9mm polyester felt with acoustic properties of 0.75 NRC (material only).

CERTIFIED: c-CSA-us

CONCEPTION: Produit acoustique rond, disponible en grands format de Ø24" and Ø36". Version surface. Ce produit n'a aucune source de lumière.

BOITIER: Cadre d'aluminium extrudé et d'acier découpé puis plié, avec peinture électrostatique à base de polyester.

ACOUSTIQUE: Feutre de polyester haute densité de 9mm, avec propriétés acoustiques 0.75 NRC (matériau seulement).

CERTIFIÉ: c-CSA-us

Acoustic Material Color Options for Area




Standard colors



ABF
Azure Blue




AWF
Arctic White



BBF
Basic Black



BOF
Blood Orange




BTF
Battleship Gray




BYF
Banana Yellow




CHF
Charcoal



NBF
Navy Blue



OBF
Ocean Blue




PGF
Pear Green




REF
Red



SGF
Silver Gray



TGF
Titanium Gray



ZFF
Zinfandel


Premium colors




BGF
Bubble Gum



BKF
Bark Brown




DBF
Denim Blue



DTF
Deep Teal Green




DYF
Daisy Yellow




GGF
Grass Green




LBF
Light Beige



LGF
Lime Green



MGF
Moss Green




OAF
Oak Brown



PBF
Peanut Brown



PNF
Pinot Noir



PPF
Plum Purple



SBF
Sky Blue




TOF
Tangerine Orange



TPF
Tulip Purple

- Premium colors carry extended lead times. Additional fees may apply for expedited lead times. Please consult factory.
- Due to the dye process, colors may vary slightly from batch to batch.

AREA ACOUSTIC 4716




SIMPLE AND CLEAN HOUSING
Precision welded aluminium extrusion
Clean geometry on the outside,
structural details on the inside

SHADOW LINE
Built-in shadow line for a clean install,
compensates for uneven ceiling surfaces

FELT
High density polyester felt panels
made from recycled bottles (PET)
The panels are recyclable



COLORS
Available in 14 standard
colors and 16 Premium colors,
For all color options, refer to the
Acoustic Material Color Options page.



4716-36




NOISE REDUCTION
The center of the product is a large sound
absorbing panel that increase acoustic comfort




Also available in lighting version
See product 4715

CLEANING

A proper and regular cleaning will help extend
the lifespan of acoustic products. Remove dust
with a vacuum cleaner and light stains with a
damp cloth. For greasy and deep stains, a
professional dry clean is recommended. Do not
use any abrasive, soap, or chemical cleaner.



4716-24



4716-36

PRODUCT SPECIFICATION **4716-24** **4716-36**

PERFORMANCE	4716-24	4716-36
LIGHT SOURCE	-	-
OTHER INFORMATIONS		
LUMINAIRE'S WEIGHT	8.7LBS / 3.9KG	23.1LBS / 10.5KG
FELT	HIGH DENSITY 9MM POLYESTER FELT	
ACOUSTIC	ACOUSTIC MATERIAL RATED AT 0.75 NRC	
FIRE RATING	ASTM E84-13 (FELT MATERIAL ONLY)	




Visit our website for warranty terms and conditions.



TECHNICAL DATA

AREA ACOUSTIQUE 4716



BOÎTIER SOBRE

Extrusion d'aluminium soudée avec précision
Lignes nettes et modernes à l'extérieur,
détails structuraux cachés à l'intérieur

JOINT CREUX

Léger retour intégré au boîtier pour une installation propre, compense pour les surfaces de plafond irrégulières


FEUTRE

Panneaux de polyester haute densité faits de bouteilles de plastique recyclées (PET)
Les panneaux sont recyclables



COULEURS

Disponible en 14 couleurs standards et 16 couleurs Premium.
Pour la charte de couleurs consultez la fiche d'options de couleurs



4716-36

ATTÉNUATION DU BRUIT


Le centre de produit est un grand panneau acoustique qui absorbe le son.




Aussi disponible en version luminaire
Voir le produit 4715

NETTOYAGE

Un nettoyage approprié et régulier contribuera à prolonger la durée de vie des produits acoustiques. Enlever la poussière avec un aspirateur et les taches légères avec un linge humide. Pour les tâches importantes ou grasses, un nettoyage à sec est recommandé. Ne pas utiliser de produits abrasifs, de savon ou de produits nettoyants chimiques.



4716-24



4716-36

SPÉCIFICATION PRODUIT

4716-24

4716-36

PERFORMANCE

SOURCE LUMINEUSE

-

-

AUTRES INFORMATIONS

POIDS DU LUMINAIRE

8.7LBS / 3.9KG

23.1LBS / 10.5KG

FEUTRE

FEUTRE DE POLYESTER HAUTE DENSITÉ 9MM

ACOUSTIQUE

MATÉRIEL ACOUSTIQUE GRADÉ À 0.75 NRC

RÉSISTANCE AU FEU

ASTM E84-13 (MATÉRIEL FEUTRE SEULEMENT)



Visitez notre site Web pour les termes et conditions.



DONNÉES TECHNIQUES