

SILENE CLASSIC 3156B-JDJ / JDJA


PROJECTPROJET

SPEC TYPE

NOTES



OPTIONS



FAMILYFAMILLE



4156B-JDJ/JDJA

ORDERING SPECIFICATIONSPÉCIFICATION DE COMMANDE		CODE
MODELMODÈLE		
3156B-JDJ	SILENE CLASSIC JDJ	
3156B-JDJA	SILENE CLASSIC JDJA (CLOSED TOP ACRYLIC DIFFUSER)	
LIGHT SOURCESOURCE LUMINEUSE		LED.4
(WATTAGE, LAMP TYPE, LAMP FORM, BASE TYPE, OTHER INFO)		
LED.4	4W, LED	
COLOR TEMPERATURETEMPÉRATURE DE COULEUR		
27	2700K	
30	3000K	
35	3500K	
40*	4000K	
*LONGER LEAD TIME MAY APPLY, PLEASE CONTACT YOUR EUREKA REPRESENTATIVE		
COLOR RENDERING INDEX (CRI)INDICE DE RENDU DE COULEUR (IRC)		90
90	90+ CRI	
VOLTAGEVOLTAGE		
120V	120 VOLT	
277V	277 VOLT	
DIMMING OPTIONOPTION DE GRADATION		
DV	0-10V DIMMING (120-277V)	
DP	PHASE DIMMING (120V ONLY)	
MOUNTINGMONTAGE		RC
RC	ROUND CANOPY / PAVILLON ROND FOR LED: 1.00" CANOPY (2401E) FOR LED DIMMABLE: 1.75" CANOPY (2403G)	
STRUCTURE FINISHFINI STRUCTURE		
S C	SATIN CHROME	
CHR	CHROME	
DIFFUSER FINISHFINI DIFFUSEUR		
3156B-JDJ		
WH	WHITE	
FRO	FROSTED	
3156B-JDJA		
WH	WHITE	

PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT



DESIGN:	Classic, contemporary sconce with mitred stem and screw mount diffuser.
LIGHT SOURCE:	LED light source.
STRUCTURE:	Die-stamped steel and tubular steel structure with plated finish.
DIFFUSER:	Hand blown frosted or white triplex glass (JDJ) or extruded clear ribbed glass (JMJ). Also available with a closed top acrylic shade (JDJA).
CERTIFIED:	c-CSA-us
CONCEPTION:	Applique cylindrique contemporaine et classique munie d'une tige et d'un filet pour visser le diffuseur.
SOURCE LUMINEUSE:	Source lumineuse DEL.
STRUCTURE:	Acier embouti et structure d'acier tubulaire plaqués.
DIFFUSEUR:	Verre triplex givré ou blanc soufflé à la main (JDJ) ou extrudé strié clair (JMJ). Aussi offert avec un diffuseur en acrylique au dessus fermé (JDJA).
CERTIFIÉ:	c-CSA-us

