



SIRRAH 3211B / 3211C

PROJECTPROJET

SPEC TYPE

NOTES






PRODUCT SPECIFICATION	3211B	3211C
PERFORMANCE		
SYSTEM WATTAGE	14 W	16 W
DELIVERED LUMENS (4000K)	1018 LM	1353,4 LM
EFFICACY	72 LM/W	85 LM/W
CRI	80	90
OTHER INFORMATION		
L70 (LUMEN MAINTENANCE)	60 000 HRS	60 000 HRS
LIGHT QUALITY	N/A	R9 > 50

EFFICACY MULTIPLIERS

CRI	CCT	FACTOR
90+	4000K	1.00
90+	3500K	0.96
90+	3000K	0.92
90+	2700K	0.87


LIGHT DISTRIBUTION



3211X



Visit our website for warranty terms and conditions.



SPÉCIFICATION PRODUIT


3211B 3211C

PERFORMANCE			
PUISSANCE TOTALE	14 W	16 W	
LUMENS RÉELS (4000K)	1018 LM	1353,4 LM	
EFFICACITÉ	72 LM/W	85 LM/W	
CRI	80	90	
AUTRES INFORMATION			
L70 (LUMEN MAINTENANCE)	60 000 HRS	60 000 HRS	
QUALITÉ DE LA LUMIÈRE	N/A	R9 > 50	

FACTEURS D'EFFICACITÉ

CRI	CCT	FACTEUR
90+	4000K	1.00
90+	3500K	0.96
90+	3000K	0.92
90+	2700K	0.87

DISTRIBUTION LUMINEUSE



3211X



Visitez notre site Web pour les termes et conditions.