

BOUQUET 4428-16-ST5

PROJECT PROJET

SPEC TYPE


NOTES



OPTIONS



OPTIONS




ORDERING SPECIFICATION		S É CR É FI C ATION DE COMMANDE	CODE
MODEL	MOD È LE		4428-16-ST5
4428-16-ST5	BOUQUET STUBBY STACK		
SHADE QUANTITY	QUANTIT É D'ABAT-JOUR		19
19	19 X SHADES		
LIGHT SOURCE	SOURCE LUMINEUSE		
(WATTAGE, LAMP TYPE, LAMP FORM, BASE TYPE, OTHER INFO)			
LED.1	1W, LED		
LED.4	4W, LED		
COLOR TEMPERATURE	TEMP É RATURE DE COULEUR		
27*	2700K		
30	3000K		
35	3500K		
40**	4000K		
	* LED 4W ONLY		
	**LONGER LEAD TIME MAY APPLY, PLEASE CONTACT YOUR EUREKA REPRESENTATIVE		
COLOR RENDERING INDEX (CRI)	INDICE DE R EN DU DE COULEUR (IRC)		90
90	90+ CRI		
VOLTAGE	VOLTAGE		
120V	120 VOLT		
277V	277 VOLT		
DIMMING OPTION	OPTION DE GRADATION		
DV	0-10V DIMMING (120-277V)		
DP	PHASE DIMMING (120V ONLY)		
	LED DIMMING DRIVER IS STANDARD IN THESE PRODUCTS, PLEASE SPECIFY YOUR DIMMING TYPE.		
CABLE	CABLE		C
C	CLEAR CABLE, FIELD ADJUSTABLE		
CABLE LENGTH	LONGUEUR DE CABLE		
60	60" CABLE (STD LENGTH)		
**	CUSTOM CABLE LENGTH (PLEASE SPECIFY)		
	FOR OVERALL LENGTH PLEASE CONTACT YOUR EUREKA REPRESENTATIVE.		
CANOPY FINISH	FINI PAVILLON		WHE
WHE*	WHITE FINE TEXTURE		
	*CENTRAL PIECE IS ALWAYS BLACK		
DIFFUSER FINISH	FINI DIFFUSEUR		
BLK	BLACK		
CHR	CHROME		
WH	WHITE		
BAFFLE FINISH	FINI D É FL É CTEUR		
BLK	BLACK		
WH	WHITE		
ACCESSORY	ACCESSOIRE		
4901	HOOK		
4902	LOOP		


PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT



DESIGN:	Offered in a wide variety of configurations, Bouquet is a cluster of 19 fixtures all emerging from the matte black recessed center hole of a white canopy. Bouquet can be paired with the adjustable cable holder accessory, Loop (4902), which can be easily installed and removed.
INSTALLATION:	Bouquet mounts on standard junction boxes and is supplied with support hooks for easy installation.
LIGHT SOURCE:	LED light source with dimming option.
STRUCTURE:	Spun steel chrome plated canopy matte black center hole to hide mounting hardware.
CERTIFIED:	c-CSA-us
CONCEPTION:	Offert dans une grande vari é t é de configurations, Bouquet est un groupe de 19 luminaires é mergeant du trou encastr é au centre d'un pavillon blanc. Bouquet peut ê tre jumel é avec l'accessoire serre-c â ble ajustable Loop (4902), qui peut ê tre facilement install é ou retir é de l'assemblage.
INSTALLATION:	Des crochets de support sont fournis pour faciliter l'installation sur une bo î te de jonction standard.
SOURCE LUMINEUSE:	Source lumineuse DEI avec option de gradation.
STRUCTURE:	Pavillon en acier repouss é et chrom é avec section centrale noire matte pour camoufler les supports.
CERTIFI É :	c-CSA-us




EASY INSTALLATION
Mounts to standard junction box with added mounting points to reinforce installation




SIMPLE CANOPY
White plated canopy with plenty of room to house all electrical components for quick assembly



CENTER PIECE
Matte black recessed center hole




Wide variety of configurations





ACCESSORIES

Allows more creativity




HOOK 4901
Adjust the fixture to the desired height
Allows you to make big statements







LOOP 4902
Can straighten, lock height or group up to 19 power cables
Can be installed after fixture installation



FIXTURE	CODE	Ø 10	Ø 16	MAX. WATTAGE		
		Nb. FIXTURE		7	13	19
ALVER	MCC	7ou13	19	28W	52W	76W
ROLO PENDANT	MAD	7ou13	19	28W	52W	76W
MEHA	UAC	7ou13	19	28W	52W	76W
FACET	UFC	7ou13	19	28W	52W	76W
SLIM STACK	SLS	7ou13	19	28W	52W	76W
STUBBY STACK	STS	7ou13	19	28W	52W	76W
MIKA	RAP	7	13ou19	63W	117W	171W
MIKA	RAQ	7	13ou19	91W	169W	247W




FACILE D'ASSEMBLAGE
-Installation sur boîte de jonction standard avec des points d'ancrage multiples
-Crochets de support fournis pour faciliter l'installation




PAVILLON SIMPLE
Pavillon blanc en acier repoussé avec espace nécessaire pour accueillir toutes les composants internes



SECTION CENTRALE
Pièce noir matte servant à camoufler les supports des fils




Grande variété de configurations





ACCESSOIRES

Permet une plus grande créativité




CROCHET 4901
Ajuste le luminaire à la hauteur désirée





ANNEAU 4902
Redresse, organise et regroupe jusqu'à 19 câbles
Peux-être installé après l'installation du luminaire



FIXTURE	CODE	Ø 10	Ø 16	MAX. WATTAGE		
		Nb. FIXTURE		7	13	19
ALVER	MCC	7ou13	19	28W	52W	76W
ROLO PENDANT	MAD	7ou13	19	28W	52W	76W
MEHA	UAC	7ou13	19	28W	52W	76W
FACET	UFC	7ou13	19	28W	52W	76W
SLIM STACK	SLS	7ou13	19	28W	52W	76W
STUBBY STACK	STS	7ou13	19	28W	52W	76W
MIKA	RAP	7	13ou19	63W	117W	171W
MIKA	RAQ	7	13ou19	91W	169W	247W