

# AREA 4716

PROJECT PROJÉT
SPEC TYPE
NOTES



## FINISH FINI




BLKE WHE LGE

## FELT FINISH FINI FEUTRE



ADDITIONAL PREMIUM COLORS AVAILABLE – SEE ACOUSTIC MATERIAL COLOR OPTIONS PAGE

## FAMILY FAMILLE



## ORDERING SPECIFICATION SPÉCIFICATION DE COMMANDE

CODE

### MODEL MODÈLE

4716-24 AREA 24" – ACOUSTIC (NO LIGHT SOURCE)  
 4716-36 AREA 36" – ACOUSTIC (NO LIGHT SOURCE)

### HOUSING FINISH FINI BOITIER

BLKE BLACK FINE TEXTURE  
 WHE WHITE FINE TEXTURE  
 LGE LIGHT GRAY FINE TEXTURE  
 RAL \* PLEASE SPECIFY RAL CODE  
 \* LONGER LEAD TIME MAY APPLY, PLEASE CONTACT YOUR EUREKA REPRESENTATIVE

### FELT FINISH FINI FEUTRE

ABF	AZURE BLUE FELT	BYF	BANANA YELLOW FELT	REF	RED FELT
AWF	ARCTIC WHITE FELT	CHF	CHARCOAL FELT	SGF	SILVER GRAY FELT
BBF	BASIC BLACK FELT	NBF	NAVY BLUE FELT	TGF	TITANIUM GRAY FELT
BOF	BLOOD ORANGE FELT	OBF	OCEAN BLUE FELT	ZFF	ZINFANDEL FELT
BTF	BATTLESHIP GRAY FELT	PGF	PEAR GREEN FELT		
PREMIUM*	PLEASE SPECIFY PREMIUM COLOR CODE – SEE ACOUSTIC MATERIAL COLOR OPTIONS PAGE				
	* LONGER LEAD TIME MAY APPLY, PLEASE CONTACT YOUR EUREKA REPRESENTATIVE				

## PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT



**DESIGN:** Large format, functional and elegant round direct pendants in Ø24" and Ø36". Optional uplight modules.

**HOUSING:** Aluminium extrusion frame and die-formed steel backplate with polyester powder finish.

**ACOUSTIC:** High density 9mm polyester felt with acoustic properties of 0.75 NRC (material only).

**CERTIFIED:** c-CSA-us

**CONCEPTION:** Produit acoustique rond, disponible en grands format de Ø24" and Ø36". Version surface. Ce produit n'a aucune source de lumière.

**BOITIER:** Cadre d'aluminium extrudé et d'acier découpé puis plié, avec peinture électrostatique à base de polyester.

**ACOUSTIQUE:** Feutre de polyester haute densité de 9mm, avec propriétés acoustiques 0.75 NRC (matériau seulement).

**CERTIFIÉ:** c-CSA-us

# AREA 4716

QUICKSHIP

PROJECT PROJET

SPEC TYPE


NOTES



FELT FINISH FINI FEUTRE



FAMILY FAMILLE



ORDERING SPECIFICATION SPÉCIFICATION DE COMMANDE

CODE

QUICKSHIP

QS5 QUICKSHIP 5 DAYS - MAXIMUM 5 UNITS QUICKSHIP 5 JOURS - MAXIMUM 5 UNITÉS  
 QS10 QUICKSHIP 10 DAYS - MAXIMUM 20 UNITS QUICKSHIP 10 JOURS - MAXIMUM 20 UNITÉS

MODEL MODÈLE

4716-24 AREA 24" - ACOUSTIC (NO LIGHT SOURCE)  
 4716-36 AREA 36" - ACOUSTIC (NO LIGHT SOURCE)

HOUSING FINISH FINI BOITIER

WHE WHITE FINE TEXTURE

WHE

FELT FINISH FINI FEUTRE

ABF	AZURE BLUE FELT	BYF	BANANA YELLOW FELT	REF	RED FELT
AWF	ARCTIC WHITE FELT	CHF	CHARCOAL FELT	SGF	SILVER GRAY FELT
BBF	BASIC BLACK FELT	NBF	NAVY BLUE FELT	TGF	TITANIUM GRAY FELT
BOF	BLOOD ORANGE FELT	OBF	OCEAN BLUE FELT	ZFF	ZINFANDEL FELT
BTF	BATTLESHIP GRAY FELT	PGF	PEAR GREEN FELT		

PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT



**DESIGN:** Large format, functional and elegant round direct pendants in Ø24" and Ø36". Optional uplight modules.

**HOUSING:** Aluminium extrusion frame and die-formed steel backplate with polyester powder finish.

**ACOUSTIC:** High density 9mm polyester felt with acoustic properties of 0.75 NRC (material only).

**CERTIFIED:** c-CSA-us

**CONCEPTION:** Produit acoustique rond, disponible en grands format de Ø24" and Ø36". Version surface. Ce produit n'a aucune source de lumière.

**BOITIER:** Cadre d'aluminium extrudé et d'acier découpé puis plié, avec peinture électrostatique à base de polyester.

**ACOUSTIQUE:** Feutre de polyester haute densité de 9mm, avec propriétés acoustiques 0.75 NRC (matériau seulement).

**CERTIFIÉ:** c-CSA-us

# Acoustic Material Color Options for Area




## Standard colors



**ABF**  
Azure Blue




**AWF**  
Arctic White



**BBF**  
Basic Black



**BOF**  
Blood Orange




**BTF**  
Battleship Gray




**BYF**  
Banana Yellow




**CHF**  
Charcoal



**NBF**  
Navy Blue



**OBF**  
Ocean Blue



**PGF**  
Pear Green




**REF**  
Red



**SGF**  
Silver Gray



**TGF**  
Titanium Gray



**ZFF**  
Zinfandel

## Premium colors




**BGF**  
Bubble Gum



**BKF**  
Bark Brown



**DBF**  
Denim Blue



**DTF**  
Deep Teal Green




**DYF**  
Daisy Yellow




**GGF**  
Grass Green




**LBF**  
Light Beige



**LGF**  
Lime Green



**MGF**  
Moss Green




**OAF**  
Oak Brown



**PBF**  
Peanut Brown



**PNF**  
Pinot Noir



**PPF**  
Plum Purple



**SBF**  
Sky Blue




**TOF**  
Tangerine Orange



**TPF**  
Tulip Purple

- Premium colors carry extended lead times. Additional fees may apply for expedited lead times. Please consult factory.
- Due to the dye process, colors may vary slightly from batch to batch.

# AREA ACOUSTIC 4716




**SIMPLE AND CLEAN HOUSING**  
Precision welded aluminium extrusion  
Clean geometry on the outside,  
structural details on the inside

**SHADOW LINE**  
Built-in shadow line for a clean install,  
compensates for uneven ceiling surfaces

**FELT**  
High density polyester felt panels  
made from recycled bottles (PET)  
The panels are recyclable



**COLORS**  
Available in 14 standard  
colors and 16 Premium colors,  
For all color options, refer to the  
Acoustic Material Color Options page.



4716-36



**NOISE REDUCTION**


The center of the product is a large sound  
absorbing panel that increase acoustic comfort




Also available in lighting version  
See product 4715

**CLEANING**

A proper and regular cleaning will help extend  
the lifespan of acoustic products. Remove dust  
with a vacuum cleaner and light stains with a  
damp cloth. For greasy and deep stains, a  
professional dry clean is recommended. Do not  
use any abrasive, soap, or chemical cleaner.



4716-24



4716-36

**PRODUCT SPECIFICATION**      **4716-24**      **4716-36**

PERFORMANCE	4716-24	4716-36
LIGHT SOURCE	-	-
<b>OTHER INFORMATIONS</b>		
LUMINAIRE'S WEIGHT	8.7LBS / 3.9KG	23.1LBS / 10.5KG
FELT	HIGH DENSITY 9MM POLYESTER FELT	
ACOUSTIC	ACOUSTIC MATERIAL RATED AT 0.75 NRC	
FIRE RATING	ASTM E84-13 (FELT MATERIAL ONLY)	




Visit our website for warranty terms and conditions.



**TECHNICAL DATA**

# AREA ACOUSTIQUE 4716



## BOÎTIER SOBRE

Extrusion d'aluminium soudée avec précision  
Lignes nettes et modernes à l'extérieur,  
détails structuraux cachés à l'intérieur

## JOINT CREUX

Léger retour intégré au boîtier pour une installation propre, compense pour les surfaces de plafond irrégulières


## FEUTRE

Panneaux de polyester haute densité faits de bouteilles de plastique recyclées (PET)  
Les panneaux sont recyclables



## COULEURS

Disponible en 14 couleurs standards et 16 couleurs Premium.  
Pour la charte de couleurs consultez la fiche d'options de couleurs



4716-36

## ATTÉNUATION DU BRUIT


Le centre de produit est un grand panneau acoustique qui absorbe le son.




Aussi disponible en version luminaire  
Voir le produit 4715

## NETTOYAGE

Un nettoyage approprié et régulier contribuera à prolonger la durée de vie des produits acoustiques. Enlever la poussière avec un aspirateur et les taches légères avec un linge humide. Pour les tâches importantes ou grasses, un nettoyage à sec est recommandé. Ne pas utiliser de produits abrasifs, de savon ou de produits nettoyants chimiques.



4716-24



4716-36

## SPÉCIFICATION PRODUIT

4716-24

4716-36

### PERFORMANCE

SOURCE LUMINEUSE

-

-

### AUTRES INFORMATIONS

POIDS DU LUMINAIRE

8.7LBS / 3.9KG

23.1LBS / 10.5KG

FEUTRE

FEUTRE DE POLYESTER HAUTE DENSITÉ 9MM

ACOUSTIQUE

MATÉRIEL ACOUSTIQUE GRADÉ À 0.75 NRC

RÉSISTANCE AU FEU

ASTM E84-13 (MATÉRIEL FEUTRE SEULEMENT)



Visitez notre site Web pour les termes et conditions.



## DONNÉES TECHNIQUES