


# HEX AREA 4721

PROJECT PROJCT
SPEC TYPE
NOTES



## FINISH FINI



BLKE-CHF

WHE-SGF

LGE-SGF

## FELT FINISH FINI FEUTRE



ADDITIONAL PREMIUM COLORS AVAILABLE – SEE ACOUSTIC MATERIAL COLOR OPTIONS PAGE


## FAMILY FAMILLE



4721 (WALL SURFACE)

4820

4720 (CEILING SURFACE)



## ORDERING SPECIFICATION SPÉCIFICATION DE COMMANDE

CODE

### MODEL MODÈLE

**4721-24** HEX AREA 24" – ACOUSTIC (NO LIGHT SOURCE)  
**4721-36** HEX AREA 36" – ACOUSTIC (NO LIGHT SOURCE)

### SYSTEM INSTALLATION INSTALLATION SYSTÈME

**ST** ASSEMBLY TO FACILITATE CLUSTER INSTALLATION  
 \*IF NO OPTION IS SELECTED, THE STANDARD ASSEMBLY WILL BE PROVIDED.

### HOUSING FINISH FINI BOITIER

**BLKE** BLACK FINE TEXTURE  
**WHE** WHITE FINE TEXTURE  
**LGE** LIGHT GREY FINE TEXTURE  
**RAL\*** PLEASE SPECIFY RAL CODE  
 \*LONGER LEAD TIME MAY APPLY. PLEASE CONTACT YOUR EUREKA REPRESENTATIVE

### FELT FINISH FINI FEUTRE

<b>ABF</b> AZURE BLUE FELT	<b>BYF</b> BANANA YELLOW FELT	<b>REF</b> RED FELT
<b>AWF</b> ARCTIC WHITE FELT	<b>CHF</b> CHARCOAL FELT	<b>SGF</b> SILVER GRAY FELT
<b>BBF</b> BASIC BLACK FELT	<b>NBF</b> NAVY BLUE FELT	<b>TGF</b> TITANIUM GRAY FELT
<b>BOF</b> BLOOD ORANGE FELT	<b>OBF</b> OCEAN BLUE FELT	<b>ZFF</b> ZINFANDEL FELT
<b>BTF</b> BATTLESHIP GRAY FELT	<b>PGF</b> PEAR GREEN FELT	
<b>PREMIUM*</b> PLEASE SPECIFY PREMIUM COLOR CODE – SEE ACOUSTIC MATERIAL COLOR OPTIONS PAGE *LONGER LEAD TIME MAY APPLY. PLEASE CONTACT YOUR EUREKA REPRESENTATIVE		

## PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT



**DESIGN:** Large format, sound absorbing hexagonal surface mounted fixtures in Ø24" and Ø36". This fixture has no light source.

**HOUSING:** Aluminium extrusion frame and die-formed steel backplate with polyester powder finish.

**ACOUSTIC:** High density 9mm polyester felt with acoustical properties of 0.75 NRC (material only).

**CERTIFIED:** c-CSA-us

**CONCEPTION:** Luminaire acoustique hexagonal, disponible en grands formats de Ø24" et Ø36". Version surface. Ce produit n'a aucune source de lumière.

**BOITIER:** Cadre d'aluminium extrudé et plaque d'acier découpé puis plié, avec peinture électrostatique à base de polyester.

**ACOUSTIQUE:** Feutre de polyester haute densité de 9mm, avec propriétés acoustiques de 0.75 NRC (matériel seulement).

**CERTIFIÉ:** c-CSA-us

# Acoustic Material Color Options for Hex Area




## Standard colors



**ABF**  
Azure Blue




**AWF**  
Arctic White



**BBF**  
Basic Black



**BOF**  
Blood Orange




**BTF**  
Battleship Gray




**BYF**  
Banana Yellow




**CHF**  
Charcoal



**NBF**  
Navy Blue



**OBF**  
Ocean Blue



**PGF**  
Pear Green




**REF**  
Red



**SGF**  
Silver Gray



**TGF**  
Titanium Gray



**ZFF**  
Zinfandel


## Premium colors




**BGF**  
Bubble Gum



**BKF**  
Bark Brown




**DBF**  
Denim Blue



**DTF**  
Deep Teal Green



**DYF**  
Daisy Yellow




**GGF**  
Grass Green




**LBF**  
Light Beige



**LGF**  
Lime Green



**MGF**  
Moss Green




**OAF**  
Oak Brown



**PBF**  
Peanut Brown



**PNF**  
Pinot Noir



**PPF**  
Plum Purple



**SBF**  
Sky Blue




**TOF**  
Tangerine Orange



**TPF**  
Tulip Purple

- Premium colors carry extended lead times. Additional fees may apply for expedited lead times. Please consult factory.
- Due to the dye process, colors may vary slightly from batch to batch.

# HEX AREA ACOUSTIC 4721



**SIMPLE AND CLEAN HOUSING**  
Precision welded aluminium extrusion.  
Clean geometry on the outside,  
structural details on the inside

**CLEANING**

A proper and regular cleaning will help extend the lifespan of acoustic products. Remove dust with a vacuum cleaner and light stains with a damp cloth. For greasy and deep stains, a professional dry clean is recommended. Do not use any abrasive, soap, or chemical cleaner.

**SHADOW LINE**  
Built-in shadow line for a clean install,  
compensates for uneven ceiling surfaces

**FELT**  
High density polyester felt panels  
made from recycled bottles (PET)  
The panels are recyclable



**COLORS**  
Available in 14 standard  
colors and 16 Premium colors,  
For all color options, refer to the  
Acoustic Material Color Options page.



4721-36




**NOISE REDUCTION**

The center of the product is a large sound absorbing panel that increase acoustic comfort.




Also available in lighting version.  
See product 4720.




**ST option for system installation**

Permits minimal gaps between fixtures. (2mm)  
Uses only set screws instead of a pivot hook & set screws.



4721-24



4721-36

**PRODUCT SPECIFICATION**

**4721-24**

**4721-36**

**PERFORMANCE**

**LIGHT SOURCE**

-

-

**OTHER INFORMATION**

**LUMINAIRE'S WEIGHT**

8.5LBS / 3.8KG

22.5LBS / 10.2KG

**FELT**

HIGH DENSITY 9MM POLYESTER FELT

**ACOUSTIC**

ACOUSTIC MATERIAL RATED AT 0.75 NRC

**FIRE RATING**

ASTM E84-13 (FELT MATERIAL ONLY)




Visit our website for warranty terms and conditions.



**TECHNICAL DATA**

# HEX AREA ACOUSTIQUE 4721



## BOÎTIER SOBRE

Extrusion d'aluminium soudée avec précision.  
Lignes nettes et modernes à l'extérieur,  
détails structuraux cachés à l'intérieur

## NETTOYAGE

Un nettoyage approprié et régulier contribuera à prolonger la durée de vie des produits acoustiques. Enlever la poussière avec un aspirateur et les taches légères avec un linge humide. Pour les taches importantes ou grasses, un nettoyage à sec est recommandé. Ne pas utiliser de produits abrasifs, de savon ou de produits nettoyants chimiques.

## JOINT CREUX

Léger retour intégré au boîtier pour une installation propre, compense pour les surfaces de plafond irrégulières


## FEUTRE

Panneaux de polyester haute densité faits de bouteilles de plastique recyclées (PET)  
Les panneaux sont recyclables




## COULEURS

Disponible en 14 couleurs standards et 16 couleurs Premium.  
Pour la charte de couleurs consultez la fiche d'options de couleurs



4721-24



4721-36



4721-36




## ATTÉNUATION DU BRUIT

Le centre de produit est un grand panneau acoustique qui absorbe le son.



Aussi disponible en version luminaire.  
Voir le produit 4720.



## Option ST pour installation système

Permet un espace minimal de 2mm entre les luminaires.  
Utilise seulement des vis à la place d'un crochet et de vis.

## SPÉCIFICATION PRODUIT

4721-24

4721-36

### PERFORMANCE

SOURCE LUMINEUSE

-

-

### AUTRES INFORMATION

POIDS

8.5LBS / 3.8KG

22.5LBS / 10.2KG

FEUTRE

FEUTRE DE POLYESTER HAUTE DENSITÉ 9MM

ACOUSTIQUE

MATÉRIEL ACOUSTIQUE GRADÉ À 0.75 NRC

RÉSISTANCE AU FEU

ASTM E84-13 (MATÉRIEL FEUTRE SEULEMENT)



Visitez notre site Web pour les termes et conditions.



## DONNÉES TECHNIQUES