



HEX AREA 4721

PROJECT PROJCT
SPEC TYPE
NOTES



FINISH FINI



BLKE-CHF

WHE-SGF



LGE-SGF

FELT FINISH FINI FEUTRE



ADDITIONAL PREMIUM COLORS AVAILABLE – SEE ACOUSTIC MATERIAL COLOR OPTIONS PAGE

FAMILY FAMILLE



ORDERING SPECIFICATION SPÉCIFICATION DE COMMANDE

CODE


MODEL MODÈLE		
4721-24	HEX AREA 24" – ACOUSTIC (NO LIGHT SOURCE)	
4721-36	HEX AREA 36" – ACOUSTIC (NO LIGHT SOURCE)	
SYSTEM INSTALLATION INSTALLATION SYSTÈME		
ST	ASSEMBLY TO FACILITATE CLUSTER INSTALLATION *IF NO OPTION IS SELECTED, THE STANDARD ASSEMBLY WILL BE PROVIDED.	
HOUSING FINISH FINI BOITIER		
BLKE	BLACK FINE TEXTURE	
WHE	WHITE FINE TEXTURE	
LGE	LIGHT GREY FINE TEXTURE	
RAL*	PLEASE SPECIFY RAL CODE *LONGER LEAD TIME MAY APPLY. PLEASE CONTACT YOUR EUREKA REPRESENTATIVE	
FELT FINISH FINI FEUTRE		
ABF	AZURE BLUE FELT	REF RED FELT
AWF	ARCTIC WHITE FELT	CHF CHARCOAL FELT
BBF	BASIC BLACK FELT	NBF NAVY BLUE FELT
BOF	BLOOD ORANGE FELT	OBF OCEAN BLUE FELT
BTF	BATTLESHIP GRAY FELT	PGF PEAR GREEN FELT
PREMIUM*	PLEASE SPECIFY PREMIUM COLOR CODE – SEE ACOUSTIC MATERIAL COLOR OPTIONS PAGE *LONGER LEAD TIME MAY APPLY. PLEASE CONTACT YOUR EUREKA REPRESENTATIVE	SGF SILVER GRAY FELT
BYF	BANANA YELLOW FELT	TGF TITANIUM GRAY FELT
CHF	CHARCOAL FELT	ZFF ZINFANDEL FELT

PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT



- DESIGN:** Large format, sound absorbing hexagonal surface mounted fixtures in Ø24" and Ø36". This fixture has no light source.
- HOUSING:** Aluminium extrusion frame and die-formed steel backplate with polyester powder finish.
- ACOUSTIC:** High density 9mm polyester felt with acoustical properties of 0.75 NRC (material only).
- CERTIFIED:** c-CSA-us
- CONCEPTION:** Luminaire acoustique hexagonal, disponible en grands formats de Ø24" et Ø36". Version surface. Ce produit n'a aucune source de lumière.
- BOITIER:** Cadre d'aluminium extrudé et plaque d'acier découpé puis plié, avec peinture électrostatique à base de polyester.
- ACOUSTIQUE:** Feutre de polyester haute densité de 9mm, avec propriétés acoustiques de 0.75 NRC (matériel seulement).
- CERTIFIÉ:** c-CSA-us

HEX AREA ACOUSTIC 4721



SIMPLE AND CLEAN HOUSING
Precision welded aluminium extrusion.
Clean geometry on the outside,
structural details on the inside

CLEANING

A proper and regular cleaning will help extend the lifespan of acoustic products. Remove dust with a vacuum cleaner and light stains with a damp cloth. For greasy and deep stains, a professional dry clean is recommended. Do not use any abrasive, soap, or chemical cleaner.

SHADOW LINE
Built-in shadow line for a clean install,
compensates for uneven ceiling surfaces

FELT
High density polyester felt panels
made from recycled bottles (PET)
The panels are recyclable



COLORS
Available in 14 standard
colors and 16 Premium colors,
For all color options, refer to the
Acoustic Material Color Options page.



4721-36




NOISE REDUCTION

The center of the product is a large sound absorbing panel that increase acoustic comfort.




Also available in lighting version.
See product 4720.




ST option for system installation

Permits minimal gaps between fixtures. (2mm)
Uses only set screws instead of a pivot hook & set screws.



4721-24



4721-36

PRODUCT SPECIFICATION

4721-24

4721-36

PERFORMANCE

LIGHT SOURCE

-

-

OTHER INFORMATION

LUMINAIRE'S WEIGHT

8.5LBS / 3.8KG

22.5LBS / 10.2KG

FELT

HIGH DENSITY 9MM POLYESTER FELT

ACOUSTIC

ACOUSTIC MATERIAL RATED AT 0.75 NRC

FIRE RATING

ASTM E84-13 (FELT MATERIAL ONLY)




Visit our website for warranty terms and conditions.



TECHNICAL DATA

HEX AREA ACOUSTIQUE 4721



BOÎTIER SOBRE

Extrusion d'aluminium soudée avec précision.
Lignes nettes et modernes à l'extérieur,
détails structuraux cachés à l'intérieur

NETTOYAGE

Un nettoyage approprié et régulier contribuera à prolonger la durée de vie des produits acoustiques. Enlever la poussière avec un aspirateur et les taches légères avec un linge humide. Pour les taches importantes ou grasses, un nettoyage à sec est recommandé. Ne pas utiliser de produits abrasifs, de savon ou de produits nettoyants chimiques.

JOINT CREUX

Léger retour intégré au boîtier pour une installation propre, compense pour les surfaces de plafond irrégulières


FEUTRE

Panneaux de polyester haute densité faits de bouteilles de plastique recyclées (PET)
Les panneaux sont recyclables




COULEURS

Disponible en 14 couleurs standards et 16 couleurs Premium.
Pour la charte de couleurs consultez la fiche d'options de couleurs



4721-24



4721-36



4721-36




ATTÉNUATION DU BRUIT

Le centre de produit est un grand panneau acoustique qui absorbe le son.



Aussi disponible en version luminaire.
Voir le produit 4720.



Option ST pour installation système

Permet un espace minimal de 2mm entre les luminaires.
Utilise seulement des vis à la place d'un crochet et de vis.

SPÉCIFICATION PRODUIT

4721-24

4721-36

PERFORMANCE

SOURCE LUMINEUSE

-

-

AUTRES INFORMATION

POIDS

8.5LBS / 3.8KG

22.5LBS / 10.2KG

FEUTRE

FEUTRE DE POLYESTER HAUTE DENSITÉ 9MM

ACOUSTIQUE

MATÉRIEL ACOUSTIQUE GRADÉ À 0.75 NRC

RÉSISTANCE AU FEU

ASTM E84-13 (MATÉRIEL FEUTRE SEULEMENT)



Visitez notre site Web pour les termes et conditions.



DONNÉES TECHNIQUES