




Spin



Fixture #4236

4236-WH-FT5C22

EUREKA

One 22W T5 Circline Compact Fluorescent

Photometric Report

Table with 2 columns: Property and Value. Includes Number of lamps (1), Lumens per lamp (1800.00), Input watts (25.00), Distribution (Direct-Indirect), Efficiency (54.6), Photometric type (C), Luminous shape (Rectangle), Units (Feet), Luminous Dimensions (0-180 Axis: 1.640, 90-270 Axis: 1.640, Height: 0.329), Spacing Criteria (0): 1.25, Spacing Criteria (90): 1.34, Spacing Criteria (Four Luminaires): 1.54.


Zonal Lumen Summary table with 5 columns: Zone, Lumens, %Lamp, %Fixt. Rows include zones 0-30, 0-40, 0-60, 0-90, 90-120, 90-150, 90-180, and 0-180.

Luminance Data table with 9 columns: 0.0, 45.0, 90.0, 135.0, 180.0, 225.0, 270.0, 315.0. Rows include angles 0.0, 45.0, 55.0, 65.0, 75.0, and 85.0.

Total Luminaire Efficiency = 55%

Coefficients of Utilization

Table of Coefficients of Utilization (CU) for various room dimensions and fixture heights. Includes pfc= 0.20, pcc= 0.80, pw->0.7, and RCR values.



Candela Distribution

Candela Distribution table with 30 columns (0.0 to 360.0) and 17 rows (0.0 to 180.0).